## 30.0 Outpatients Unit

#### 30.1 Introduction

#### 30.1.1 Description

Outpatients Unit refers to health care services provided on a same-day basis.

The following services may be accommodated in the Outpatients Unit:

- Multidisciplinary and specialist consultation and treatment clinics for medical and surgical sub-specialties
- Day-only Surgery
- Day-only Medical services (eg. Oncology and Haematology, Renal Dialysis)
- Dental
- General Practitioner Clinics
- Maternal and Child Health services
- Medical Imaging Services (eg. radiology, ultrasound and CT)
- Mental Health services
- Occupational Health
- Ophthalmology including Eyecare Centre
- Pathology collection and Urgent Testing service
- Pharmacy
- Radiotherapy
- Rehabilitation Therapy/ Allied Health services
- Telehealth

It is possible to provide the above health care services in independent Community Health Centres co-located or away from the Main Hospital. The Outpatients Unit will often include other retail/ commercial services and other government/ non-government agencies.

#### 30.2 Planning

#### 30.2.1 Operational Models

Operational policies for each health care facility may affect the planning of an Outpatients Unit. These may include:

- The normal operating hours of the facility
- Medical records management
- The selection of Outpatients services provided within the facility
- Sharing support facilities between various FPUs

### 30.2.2 Planning Models

There are various options for locating an Outpatients Unit including:

- a stand-alone facility in a community location
- a unit integrated within a commercial development (eg. shopping malls)
- a unit as part of a larger Hospital Facility

The configuration of an Outpatients Unit is dependent on the following factors:

- the location of the Unit (eg. stand-alone or integrated within a larger facility)
- the population which the unit will serve
- the types of service mix
- the level of staffing required for the Unit

## 30.2.3 Functional Areas

**CORE UNIT** 

The Outpatients Unit may consist of a large number of sub-units. It may range in form from a small stand-alone unit to a large multi-disciplinary facility.



The Core Unit described in this Guideline would be appropriate for a small multidisciplinary unit or the primary core of a larger Unit as required by adding other peripheral units to suit the service plan of the subject facility.

#### **UNIT FUNCTIONAL ZONES**

The Core Unit consists of the three following key functional areas:

- Reception/ Admission Area
- Patient Areas including waiting and treatment
- Staff Areas

Additional units may also be added to form part of the following FPUs:

- Dental Unit
- Interventional Cardiology
- Medical Imaging Services (eg. general radiology, ultrasound and CT)
- Occupation Health
- Ophthalmology
- Operating Unit
- Pathology collection and urgent testing service
- Pharmacy
- Renal Dialysis Unit

#### 30.2.4 Functional Relationships

#### **EXTERNAL**

The Outpatients Unit may have working relationships with many other Units depending on the location of the Unit – either a free-standing facility or part of a larger facility.

The proximity of the following areas shall be considered when designing:

- Car Park / Drop off Zone
- Day Procedures / Surgery.
- Emergency
- Main Entry
- Medical Imaging
- Outpatients
- Pharmacy
- Pathology
- Transit Lounge

Considering the above, the Outpatients Unit is commonly located on the ground level within a multi-storey hospital.

### **INTERNAL**

The internal planning of the Outpatients Unit shall be planned by considering the functional areas mentioned above.

Some of the critical relationships to be considered are as below:

- Flexibility in accommodating various types of use throughout different hours in the day;
- Sections of the Unit can be secured when not in use;
- Reception and Admission Area this area must allow patients to move conveniently to and from the treatment areas and accommodate high volume of patients, support staff, care-takers and mobility aids;
- Patient Treatment and Waiting Area must promote efficiency from the staff perspective and a pleasant environment for all patient types from regular patients with chronic conditions to those who may only visit a few times.
- Staff Area staff must be able to move easily to and from the Treatment Area, and to and from the Reception/ Admission Area; a quiet area with privacy for the staff where they can



work without interruptions from patients and their accompanying relatives is recommended.

It is crucial for the three functional areas to work effectively together to allow for an efficient, safe and pleasant environment in a smaller unit, or to create the core of a larger, more complex unit.

## 30.3 Design

#### 30.3.1 General

Design needs to accommodate all types of patients using the Unit, many of whom may be acutely ill. Provision shall be made for wheelchairs, mobility aids, families with children and prams within the Unit.

#### 30.3.2 Environmental Considerations

#### **NATURAL LIGHT**

Where possible, the use of natural light shall be maximised within the Unit. Sufficient level of natural lighting can provide a sense of wellbeing for both staff and patients and is more likely to lead to better service outcomes.

Provision of a pleasant outlook and access to natural light can reduce discomfort and stress for patients.

#### **PRIVACY**

Staff observation of patients and patient privacy must be well-balanced within the Unit.

The following features shall be integrated to the design of the Unit:

- Doors and windows to be located appropriately to guarantee patient privacy and not comprise staff security.
- confidentially of patient discussions and patient record

#### **ACOUSTICS**

The following functions require careful consideration of acoustic privacy:

- noisy areas like Public Waiting shall be located further away from the treatment spaces and staff areas
- interview areas with clients where confidential information will be discussed
- discussion areas for staff where confidential patient information will be shared
- consultation/ treatment areas where disturbing noise is likely to happen shall be located in acoustically treated rooms

### 30.3.3 Space Standards and Components

#### **ACCESSIBILITY - EXTERNAL**

Patients who visit an Outpatients Unit are usually acutely ill requiring treatments. Thus, there shall be a weatherproof vehicle drop-off zone with easy access for less-mobile patients and wheelchair bound patients.

#### **ERGONOMICS**

Various functions will be performed at each treatment space. Thus, care shall be taken to provide optimal ergonomic functionality by considering all the possible configurations at each treatment space.

Refer also to Part C of these Guidelines.

#### 30.3.4 Safety and Security



Equipment, furniture, fittings and the facility itself shall be designed and constructed to prevent injuries to all users where possible.

A high standard of safety and security can be achieved by careful configuration of spaces and zones:

- control access/ egress to and from the Unit
- optimise visual observation for staff
- similar functions shall be co-located for easy staff management

Access to public areas shall be considered with care so that the safety and security of staff areas within the Unit is not compromised.

Refer also to Part C of these Guidelines.

#### *30.3.5* Finishes

Floor and ceiling finishes shall be selected to suit the function of the space and promote a pleasant environment for patients, visitors and staff.

The following factors shall be considered:

- aesthetic appearance
- acoustic properties
- durability
- ease of cleaning
- infection control
- movement of equipment

Refer also to Part C and part D of these Guidelines.

#### 30.3.6 Fixtures and Fittings

Refer to Part C of these Guidelines and Standard Components of individual rooms for information related to fixtures and fittings.

#### 30.3.7 Building Service Requirements

It is vital to provide reliable and effective IT/ Communications service for efficient operation of the Unit. The following items relating to IT/ Communication shall be addressed in the design of the Unit:

- bar coding for supplies, x-rays and records
- data entry (eg. scripts and investigative requests)
- email
- hand-held computers
- PACS
- paging systems
- paperless patient records
- Patient Administration System (PAS)

Nurse Call and Emergency Call facilities shall be provided in all patient areas (eg. bed spaces, toilets and bathrooms) and clinical areas in order for patients and staff to request for urgent assistance. The individual call buttons shall alert to a central module situated at or adjacent to the Staff Station, Staff Room and Meeting Rooms within the Unit. The alert to staff members shall be done in a discreet manner at all times.

Provision of Duress Alarm System is required for the safety of staff members who may at times face threats imposed by clients/ visitors. Call buttons will be required at all reception/ staff station areas and consultation/ treatment areas where a staff may have to spend time with a client alone.

Refer also Part C of these Guidelines for further information.



#### INFECTION CONTROL

Infectious patients and immune-suppressed patients may be sharing the same treatment space at the different times of the same day. Standard precautions must be taken for all patients

Handwashing facilities for staff within the Unit must be readily available. Where a handwash basin is provided, there shall also be liquid soap and disposable paper towels provided.

For further details refer to PART D of these Guidelines.

#### 30.4 Components of the Unit

#### 30.4.1 General

The Outpatients Unit will contain a combination of Standard Components and Non-Standard Components. Provide Standard Components to comply with details in the Standard Components described in these Guidelines. Refer also to Standard Components Room Data Sheets and Room Layout Sheets.

### 30.4.2 Non Standard Components

**ENTRY CANOPY** 

#### **Description and Function**

If a direct and separate entry is provided to the Unit at street level, an Entry Canopy shall be provided. The canopy shall be sized appropriately to permit full protection of vehicles including cars, ambulances, taxis, and mini-vans from weather.

### **Location and Relationships**

The Entry Canopy shall be located next to the Lobby/ Airlock if one is provided.

#### Considerations

Apart from weather protection, the heights and the design of structural support of the canopy shall permit easy manoeuvring of all vehicles entering this area.



#### 30.5 **Schedule of Accommodation**

#### Outpatients Unit Generic Schedule of Accommodation 30.5.1

## ENTRY / RECEPTION

ROOM / SPACE	Standard	8 S <sub>I</sub>									Remarks
ENTRY CANORY	Component			m2				Qty			
ENTRY CANOPY				8 121			8 ler		x otior		
LOBBY / AIRLOCK	yes		optional optiona		_			12			
LOBBTYAMESON				otional optional			optional				
RECEPTION / CLERICAL	yes	1	Х	12	1	Х	21	1	Х	32	Based on 1.2m2 per person, 1.5m2 for wheelchairs. Modify to circumstances
CLERICAL SUPPORT / MEDICAL RECORDS	yes	1	Х	9	1	Х	12				2 Staff
WAITING AREA	yes	2	Х	30	2	Х	40	2	Х	50	Generous waiting areas to accommodate patient overloads
WAITING AREA - FAMILY	yes				1	Х	40	1	Х	50	Shall include a Play Area Optional depending on service
TOILET - ACCESSIBLE	yes				2	Х	5	2	Х	5	Part of waiting space
TOILET - PUBLIC	yes	2	Х	4	2	Х	4	2	Х	4	
PATIENT AREAS:											
1 BEDROOM (ISOLATION)	yes	2	Х	18	2	Х	18	2	Х	18	Depending on service Demand. Optional
BAY - RESUSCITATION TROLLEY	yes				1	Х	2	1	Х	2	Or access to same
EXAM ROOM	yes	2	Х	12	4	Х	12	4	Х		Qty depends on service plan
CONSULTATION ROOM	yes	1	Х	14	2	Х	14	2	Х	14	Oty depends on service plan
ENSUITE - ISOLATION ROOM	yes	2	Х	5	2	Х	5		Х		Depending on service Demand. Optional
LOUNGE - PATIENT	yes	1	Х	15	1	Х	20*				Optional
MEETING ROOM - MEDIUM	yes	1	Х	20	1	Х	30	2	Х	30	May be shared Optional
MEETING ROOM – SMALL, 12M2	yes	1	Х	12	1	Х	12	2	Х	12	
PATIENT BAY - ACUTE TREATMENT	yes	8	Х	12			12				For longer procedures (day patients) eg Dialysis, Chemo Qty as per service plan
TOILET - PATIENT	yes	2	Х	4	2	Х	4	2	Х	4	
TREATMENT ROOM	yes	1	Х	14	2	Х	14	2	Х	14	

## STAFF AND SUPPORT AREAS

ROOM / SPACE	Standard		Level 4		Lev	el 5	Lev	el 6		Remarks
	Component		Qty x m	12	Qty :	c m2	Qty	/ x r	n2	
STAFF AREAS:										
BAY - BEVERAGE	yes		1 x	4	1 :	κ 4	1	Х	4	
BAY - LINEN	yes		1 x :	2	1 :	< 2	1	Х	2	Includes storage for pillows over
BAY - PATHOLOGY	yes		1 x	3	1	( 3	1	Х	3	



ROOM / SPACE	Standard			Level 6	Remarks
	Component	Qty x m2	Qty x m2	Qty x m2	
BLOOD STORE	yes	1 x 2	1 x 2	1 x 2	Bay
		optional	optional	optional	
CLEANER'S ROOM	yes	1 x 5	1 x 5	1 x 5	
CLEAN UTILITY	yes	1 x 12	1 x 14	1 x 14	Includes medications, may also be used for pre-packaged cytotoxic drug storage
CYTOTOXICS ROOM	yes	1 x 8 optional	1 x 8 optional	1 x 8 optional	Required for Chemotherapy areas
DIRTY UTILITY	yes	1 x 14	1 x 14		Includes disposal room function
OFFICE - CLINICAL HANDOVER	yes	1 x 12	1 x 16	1 x 16	Staff work, handovers, etc
OFFICE - SINGLE PERSON 12M2	yes	1 x 12	2 x 12	2 x 12	Nursing and medical
PROPERTY BAY – STAFF	yes	1 x 4	1 x 4	1 x 12	
STAFF STATION	yes	1 x 14	1 x 20	1 x 20	
STORE - EQUIPMENT / GENERAL	yes	1 x 12	1 x 14	1 x 16	Combined
TOILET - STAFF	yes	1 x 3	2 x 3	2 x 3	
WATER TREATMENT ROOM	yes	1 x 12 optional	1 x 12 optional	1 x 12 optional	Where dialysis is provided
DISCOUNTED CIRCULATION		32%	32%	32%	


#### Please note the following:

- Areas noted in Schedules of Accommodation take precedence over all other areas noted in the FPU.
- Rooms indicated in the schedule reflect the typical arrangement according to the Role Delineation.
- Exact requirements for room quantities and sizes will reflect Key Planning Units identified in the service plan and the
  policies of the Unit.
- Room sizes indicated should be viewed as a minimum requirement; variations are acceptable to reflect the needs of individual Unit.
- Office areas are to be provided according to the Unit role delineation and staffing establishment.
- Staff and support rooms may be shared between Functional Planning Units dependant on location and accessibility to each unit and may provide scope to reduce duplication of facilities.



## 30.6 Functional Relationship Diagram

### 30.6.1 Outpatients Unit Functional Relationship Diagram



## 30.7 References and Further Reading

- Australasian Health Facility Guidelines. (AusHFG Version 3.0), 2009; refer to website www.healthfacilitydesign.com.au
- Guidelines for Design and Construction of Health Care Facilities; The Facility Guidelines Institute, 2010 Edition.
- Design Guidelines for Hospitals and Day Procedure Centres, Department of Human Services Victoria, 2005



# HFG in alia

The Indian Health Facility Guidelines recommends the use of <u>HFBS</u> "Health Facility Briefing System" to edit all room data sheet information for your project.

HFBS provides edit access to all HFG India standard rooms, departments, and more than 40 report templates.

HFBS Health Facility Briefing System





Briefing Module The Health Facility Briefing System (HFBS) has numerous modules available via annual subscription. It suits healthcare Architects, Medical Planners, Equipment Planners Project Managers and Health Authorities.

Use the HFBS Briefing Module to quickly drag in health facility departments or pre-configured room templates from the HFG standard, edit the room features such as finishes, furniture, fittings, fixtures, medical equipment, engineering services. The system can print or download as PDF more than 100 custom reports including room data sheets, schedules, and more...

To learn more about the HFBS web-based Healthcare Briefing and Design Software and to obtain editable versions of the "Standard Components" including Room Data Sheets (RDS) and Room Layout Sheets (RLS) offered on the HFG website, signup for HFBS using the link below.

Get Started Now: hfbs.healthdesign.com.au

- ✓ HFG India Room Data Sheets and Departments are instantly editable in the HFBS software available online in the HFBS India Domain.
- ✓ You can access hundreds of report templates to print your HFG India room data in HFBS.
- ✓ HFBS has a onetime free 3 day trial available to all new users – signup for the HFBS India Domain today.

Get Started Now: hfbs.healthdesign.com.au



# **HFBS**

**Health Facility Briefing System** 

hfbsinfo.com | techsupport@healthdesign.com.au